



CRK

Attorney Docket No. 1344.1048

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Katsuhiko SUGA et al.

Application No.: 09/717,129

ATTENTION

Confirmation No.: 2847

CERTIFICATE OF CORRECTION

Filed: November 22, 2000

BRANCH

U.S. Patent No.: 6,904,240 *B1*

Batch No.:

Issued: June 7, 2005

For: OPTICAL MULTIPLEXING APPARATUS AND OPTICAL MULTIPLEXING METHOD

**REQUEST FOR CERTIFICATE OF CORRECTION**

Commissioner for Patents  
PO Box 1450  
Alexandria, VA 22313-1450

**Certificate**

**APR 21 2006**

Sir:

**of Correction**

Patentee(s) respectfully request(s) that a Certificate of Correction be issued in the subject patent, pursuant to 35 U.S.C. §254 and 37 C.F.R. §1.322, to correct the mistake(s) shown on the attached Form PTO-1050.

Since the mistakes are Patent Office mistakes, it is believed that no fee is required.

Respectfully submitted,

STAAS & HALSEY LLP

Date: 4-18-06

By: *John C. Garvey*  
John C. Garvey  
Registration No. 28,607

1201 New York Ave, N.W., Suite 700  
Washington, D.C. 20005  
Telephone: (202) 434-1500  
Facsimile: (202) 434-1501

**APR 21 2006**

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.  
(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE

## CERTIFICATE OF CORRECTION

PATENT NO : 6,904,240 <sup>B1</sup>

DATED : June 7, 2005

INVENTOR(S) : Katsuhiko SUGA et al.

Column 10, line 45, change "a band" to --a band width of--.

Column 10, line 46, change "said" to --said second--.

## MAILING ADDRESS OF SENDER:

STAAS & HALSEY LLP  
1201 New York Ave., N.W.  
Suite 700  
Washington, DC 20005

PATENT NO. 6,904,240

No. of add'l copies  
@ 50¢ per page

⇒

APR 21 2006